ESTUARINE COASTAL AND SHELF SCIENCE

Volume 24
1987

ACADEMIC PRESS
London Orlando San Diego
New York Austin Boston
Sydney Tokyo

Published by Academic Press Limited in association with
the Estuarine and Brackish-water Sciences Association

ISSN 0272-7714

Copyright © 1987, by Academic Press Limited
ALL RIGHTS RESERVED
No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without prior permission from the publishers.

Printed in Great Britain

Contents of Volume 24

Number 1, January 1987

Raffaelli, D. and Milne, H., An experimental investigation of the effects of shore-bird and flatfish predation on estuarine invertebrates 1

New, A. L., Dyer, K. R. and Lewis, R. E., Internal waves and intense mixing periods in a partially stratified estuary 15

Gačić, M., Dadić, V., Krstulović, N., Marasović, I., Morović, M., Pucher-Petković, T. and Sviličić, N., Near-shore transport processes induced by the wind 35

Martini, I. P. and Morrison, R. I. G., Regional distribution of *Macoma balthica* and *Hydrobia minuta* on the subarctic coasts of Hudson Bay and James Bay, Ontario, Canada 47

Flather, R. A., Estimates of extreme conditions of tide and surge using a numerical model of the north-west European Continental shelf 69

Prieur, D., Troussellier, M., Romana, A., Chamroux, S., Mevel, G. and Baleux, B., Evolution of bacterial communities in the Gironde estuary (France) according to a salinity gradient 95

Allen, P. L. and Moore, J. J., Invertebrate macrofauna as potential indicators of sandy beach instability. 109

Carr, A. P. and Blackley, M. W. L., Further data on elevational changes and water circulation in a Cumbrian salt marsh 127

Number 2, February 1987

Lukatelich, R. J., Schofield, N. J. and McComb, A. J., Nutrient loading and macrophyte growth in Wilson Inlet, a bar-built southwestern Australian estuary. 141

Meshal, A. H., Hydrography of a hypersaline coastal lagoon in the Red Sea . . . 167

Kay, A., The effect of cross-stream depth variations upon contaminant dispersion in a vertically well-mixed current 177

Davies, J. M. and Tibbetts, P. J. C., The use of *in situ* benthic chambers to study the fate of oil in sublittoral sediments 205

Churchill, J. H., Assessing hazards due to a contaminant discharge in coastal waters 225

Smale, M. J., Food partitioning by coastal predatory teleosts in south-eastern Cape waters of South Africa 241

Bale, A. J. and Morris, A. W., *In situ* measurement of particle size in estuarine waters 253

Voultsiadou-Koukoura, H. E., Koukouras, A. and Eleftheriou, A., Macrofauna associated with the sponge *Verongia aerophoba* in the North Aegean Sea . . . 265

Harrison, S. J. and Phizacklea, A. P., Temperature fluctuation in muddy intertidal sediments, Forth Estuary, Scotland 279

Number 3, March 1987

Ullman, W. J. and Sandstrom, M. W., Dissolved nutrient fluxes from the nearshore sediments of Bowling Green Bay, Central Great Barrier Reef Lagoon (Australia). 289
Stearns, D. E., Litaker, W. and Rosenberg, G., Impacts of zooplankton grazing and excretion on short-interval fluctuations in chlorophyll *a* and nitrogen concentrations in a well-mixed estuary 305
Wolanski, E. and Imberger, J., Friction-controlled selective withdrawal near inlets 327
Atkinson, M. J., Low phosphorus sediments in a hypersaline marine bay 335
Juračič, M., Vitturi, L. M., Rabitti, S. and Rampazzo, G., The role of suspended matter in the biogeochemical cycles in the Adige River estuary (Northern Adriatic Sea) 349
Booth, D. A., Some consequences of a flood tide front in Loch Creran 363
Fontugne, M. R. and Jouanneau, J.-M., Modulation of the particulate organic carbon flux to the ocean by a macrotidal estuary : evidence from measurements of carbon isotopes in organic matter from the Gironde system. 377
Pezeshki, S. R., DeLaune, R. D. and Patrick, W. H., Jr., Response of *Spartina patens* to increasing levels of salinity in rapidly subsiding marshes of the Mississippi River Deltaic Plain 389
Kršinić, F., On the ecology of Tintinnines in the Bay of Mali Ston (Eastern Adriatic) 401
Notes and Discussions
Chang, C. C. Y., Davis, J. A. and Kuwabara, J. S., A study of metal ion adsorption at low suspended-solid concentrations 419
Smith, G. B. and Saleh, M. A., Abundance and bathymetric distribution of Bahrain (Arabian Gulf) reed ichthyofaunas 425

Number 4, April 1987

Savidge, G. and Johnston, J. P., Urea degradation rates by size-fractionated plankton populations in a temperate estuary. 433
Gidhagen, L., Coastal upwelling in the Baltic Sea—satellite and *in situ* measurements of sea-surface temperatures indicating coastal upwelling . . . 449
Jarvis, J. and Riley, C., Sediment transport in the mouth of the Eden estuary . . 463
De Silva Samarasinghe, J. R. and Lennon, G. W., Hypersalinity, flushing and transient salt-wedges in a tidal gulf—an inverse estuary 483
Kendall, M. A., Williamson, P. and Garwood, P. R., Annual variation in recruitment and population structure of *Monodonta lineata* and *Gibbula umbilicalis* populations at Aberaeron, mid-Wales. 499
Godin, G. and Candela, J., Tides and currents in Fury and Hecla Strait 513
Kršinić, F., Tintinnines (*Ciliophora, Oligotrichida, Tintinnina*) in eastern Adriatic bays. 527
Yamada, H. and Kayama, M., Liberation of nitrogenous compounds from bottom sediments and effect of bioturbation by small bivalve, *Theora lata* (Hinds) . . . 539
New, A. L. and Dyer, K. R., On the generation of lateral internal waves by a surface seiche in a partially mixed estuary 557
Berge, J. A., Lichtenthaler, R. G. and Oreld, F., Hydrocarbon depuration and abiotic changes in artificially oil contaminated sediment in the subtidal 567

NUMBER 5, MAY 1987

YAMADA, H., KAYAMA, M. and FUJISAWA, K., Seasonal changes of concentrations of inorganic and organic nitrogen in coastal marine sediments 585
SWENSON, E. M. and TURNER, R. E., Spoil banks: effects on a coastal marsh water-level regime 599
GORDON, R. B. and SPAULDING, M. L., Numerical simulations of the tidal- and wind-driven circulation in Narragansett Bay 611
AARKROG, A., BOELSKIFTE, S., DAHLGAARD, H., DUNIEC, S., HALLSTADIUS, L., HOLM, E. and SMITH, J. N., Technetium-99 and cesium-134 as long distance tracers in Arctic waters 637
NIGAM, R. and RAO, A. S., Proloculus size variation in recent benthic foraminifera: implications for paleoclimatic studies 649
GOURBAULT, N. E., Long-term monitoring of marine nematode assemblages in the Morlaix estuary (France) following the *Amoco Cadiz* oil spill 657
VERITY, P. G., Abundance, community composition, size distribution, and production rates of tintinnids in Narragansett Bay, Rhode Island 671
UEDA, H., Temporal and spatial distribution of the two closely related *Acartia* species *A. omorii* and *A. hudsonica* (Copepoda, Calanoida) in a small inlet water of Japan 691
CULLEN, S. J., YOUNG, A. M. and DAY, T. H., Dietary requirements of seaweed flies (*Coelopa frigida*) 701
BERRY, A. J., Reproductive cycles, egg production and recruitment in the Indo-Pacific intertidal gastropod *Umbonium vestiarium* (L.) 711

NUMBER 6, JUNE 1987

DE JONGE, V. N. and VAN DEN BERGS, J., Experiments on the resuspension of estuarine sediments containing benthic diatoms 725
CAMPBELL, E. E. and BATE, G. C., Factors influencing the magnitude of phytoplankton primary production in a high-energy surf zone 741
ELOSEGUI, A., POZO, J. and ORIVE, E., Plankton pulses in a temperate coastal embayment during the winter–spring transition 751
WRIGHT, L. D., PRIOR, D. B., HOBBS, C. H., BYRNE, R. J., BOON, J. D., SCHAFFNER, L. C. and GREEN, M. O., Spatial variability of bottom types in the lower Chesapeake Bay and adjoining estuaries and inner shelf 765
VAN DEN BERG, C. M. G., MERKS, A. G. A. and DUURSMA, E. K., Organic complexation and its control of the dissolved concentrations of copper and zinc in the Scheldt estuary 785
HARRISON, P. G., Natural expansion and experimental manipulation of seagrass (*Zostera* spp.) abundance and the response of infaunal invertebrates 799
PETERSON, D. H., PERRY, M. J. BENCALA, K. E. and TALBOT, M. C., Phytoplankton productivity in relation to light intensity: a simple equation 813
MEESE, D. A., GOW, A. J., MAYEWSKI, P. A., FICKLIN, W. and LODER, T. C., The chemical physical and structural properties of estuarine ice in Great Bay, New Hampshire 833
PENNOCK, J. R., Temporal and spatial variability in phytoplankton ammonium and nitrate uptake in the Delaware estuary 841

LAROUCHE, P., KOUTITONSKY, V. G., CHANUT, J.-P. and EL-SABH, M. I., Lateral stratification and dynamic balance at the Matane Transect in the Lower Saint Lawrence estuary 859

NOTES AND DISCUSSIONS

SPANIER, E., A fossil record of shell boring: possible evidence for sea level changes in the Red Sea 873

AARKROG, A., BOELSKIFTE, S., DAHLGAARD, H., DUNIEC, S., HALLSTADIUS, L., HOLM, E. and SMITH, J. N., Technetium-99 and cesium-134 as long-distance tracers in Arctic waters, 637
Abundance; mudflats; predation; birds; flatfish; macrofauna, 1
Acartia tonsa; estuaries; chlorophyll measurements; zooplankton; grazing; excretion; nitrogen compounds, 305
Activity; Irish Sea; salt marshes; surveying; pressure transducers; water movement; core samples; radionuclides, 127
Adriatic Sea; current measurements; wind data; biological data; Secchi disc; horizontal distribution; vertical profiles; density gradients, 35
Adriatic Sea; oysters; nutrition; species composition; zooplankton, 401
Adriatic Sea; suspended matter; sediments; estuarine sedimentation; heavy metals, 349
Adriatic Sea; zooplankton; species composition, 527
Adsorption; suspended particles; solute; transport; zinc, 419
Aegean Sea; sponges; faunal association; macrofauna; diversity index; density; biomass, 265
ALLEN, P. L. and MOORE, J. J., Invertebrate macrofauna as potential indicators of sandy beach instability, 109
Ammonium; dissolved organic nitrogen; bioturbation; benthic organisms; sediments; Seto Inland Sea; liberation, 539
Ammonium ions; nitrites; nitrates; dissolved organic compounds; interstitital water; anaerobic conditions; Japan, 585
Anaerobic conditions; Japan; ammonium ions; nitrites; nitrates; dissolved organic compounds; interstitial water, 585
Arabian Gulf; reef; fish; ecology; zoogeography, 425
Arabian Sea; Indian Coast; Foraminifera; reproduction; coastal climate; temperature; salinity; paleoclimatology, 649
Arctic waters; tides; currents, 513
ATKINSON, M. J., Low phosphorus sediments in a hypersaline marine bay, 335
Australia coast; inlets; friction; shallow water, 327
Bacteria; beach deposits; beach fauna; decomposition; North Sea; kelp; flies, 701
Bacteria; community; estuaries; salinity; France coast, 95
BALE, A. J. and MORRIS, A. W., *In situ* measurements of particle size in estuarine waters, 253
BALEUX, B., *see* PRIEUR, D., 95
Baltic Sea; upwelling; sea-surface temperature; satellite data, 449
BATE, G. C., *see* CAMPBELL, E. E., 741
Bay of Biscay; suspended matter; carbon; estuaries; shelf sedimentation, 377
Beach deposits; beach fauna; decomposition; North Sea; kelp; flies; bacteria, 701
Beach fauna; decomposition; North Sea; kelp; flies; bacteria; beach deposits, 701
Beach pollution; isopleths; pollutant dispersal; diffusion-advection models; horizontal variations; mathematical analysis; outfalls; depth profiles, 177
Bedload; tidal currents; wave action; Scotland coast; estuaries; intertidal environment; sand transport; suspended sediment, 463
BENCALA, K. E., *see* PETERSON, D. H., 813
Benthic; sediments; crude oil; marine pollution; biodegradation, 205
Benthic environment; boundary layers; estuaries; continental shelf; Chesapeake Bay; side-scan sonar; bottom topography, 765
Benthic environment; marine pollution; crude oil; degradation sediment parameters; bioturbation; Norway, 567
Benthic flora; Western Australia coast; phosphorus; carbon; nitrogen; carbonate sediments; saline basins, 335
Benthic organisms; Ems Estuary; experiments; sediments; water, 725
Benthic organisms; sediments; Seto Inland Sea; liberation; ammonium; dissolved organic nitrogen; bioturbation, 539
BERGE, J. A., LICHTENTHALER, R. G. and ORELD, F., Hydrocarbon depuration and abiotic changes in artificially oil contaminated sediment in the subtidal, 567
BERRY, A. J., Reproductive cycles, egg production and recruitment in the Indo-Pacific intertidal gastropod *Umbonium vestiarium* (L.), 711
Biodegradation; benthic; sediments; crude oil; marine pollution, 205

Bioindicators; dilution; transit; time; Greenland; Canada; radioactivity, 637
Biological data; Secchi disc; horizontal distribution; vertical profiles; density gradients; Adriatic Sea; current measurements; wind data, 35
Biological indicators; intertidal zones; invertebrata; macrofauna; sediment instability, 109
Biological interactions; environmental changes; infauna; population control; population dynamics; sediment texture; Strait of Georgia, 799
Biomass; Aegean Sea; sponges; faunal association; macrofauna; diversity index; density, 265
Biomass; South Africa; irradiance; temperature; salinity, 741
Bioturbation; benthic organisms; sediments; Seto Inland Sea; liberation; ammonium; dissolved organic nitrogen, 539
Bioturbation; Norway; benthic environment; marine pollution; crude oil; degradation; sediment parameters, 567
Birds; flatfish; macrofauna; abundance; mudflats; predation, 1
Bivalves; gastropoda; subarctic; intertidal; multivariate analysis; distribution; Hudson Bay; James Bay, 47
BLACKLEY, M. W. L., *see* CARR, A. P., 127
BOELSKIFTE, S., *see* AARKROG, A., 637
BOON, J. D., *see* WRIGHT, L. D., 765
BOOTH, D. A., Some consequences of a flood tide front in Loch Creran, 363
Boring organisms; cannibalism; sea level changes; Red Sea; fossils; shells, 873
Bottom topography; benthic environment; boundary layers; estuaries; continental shelf; Chesapeake Bay; side-scan sonar, 765
Boundary layers; estuaries; continental shelf; Chesapeake Bay; side-scan sonar; bottom topography; benthic environment, 765
BYRNE, R. J., *see* WRIGHT, L. D., 765
CAMPBELL, E. E. and BATE, G. C., Factors influencing the magnitude of phytoplankton primary production in a high-energy surf zone, 741
Canada; radioactivity; bioindicators; dilution; transit; time; Greenland, 637
CANDELA, J., *see* GODIN, G., 513
Cannibalism; sea level changes; Red Sea; fossils; shells; boring organisms, 873
Carbon; estuaries; shelf sedimentation; Bay of Biscay; suspended matter, 377
Carbon; nitrogen; carbon sediments; saline basins; benthic flora; Western Australian coast; phosphorus, 335
Carbonate sediments; saline basins; benthic flora; Western Australia coast; phosphorus; carbon; nitrogen, 335
CARR, A. P. and BLACKLEY, M. W. L., Further data on elevational changes and water circulation in a Cumbrian salt marsh, 127
CHAMROUX, S., *see* PRIEUR, D., 95
CHANG, C. C. Y., DAVIS, J. A. and KUWABARA, J. S., A study of metal ion absorption at low suspended-solid concentrations, 419
Channels; nematorpha; estuaries; monitoring; pollution, 657
CHANUT, J.-P., *see* LAROUCHE, P., 859
Chelates; estuaries; Netherlands Coast; copper; zinc, 785
Chemical properties; physical properties; structure; estuaries; ice; New Hampshire, 833
Chesapeake Bay; side-scan sonar; bottom topography; benthic environment; boundary layers; estuaries; continental shelf, 765
Chlorophyll measurements; zooplankton; grazing; excretion; nitrogen compounds; *Acartia tonsa*; estuaries, 305
CHURCHILL, J. H., Assessing hazards due to contamitant discharge in coastal waters, 225
Ciliata; food webs; plankton production; Narragansett Bay, 671
Coastal climate; temperature; salinity; paleoclimatology; Arabian Sea; Indian Coast; Foraminifera; reproduction, 649
Coastal erosion; Mississippi Delta; salt intrusion; marsh plants; physiology; photosynthesis; coastal plain, 389
Coastal lagoons; time series; Red Sea; hydrography; hypersaline, 167
Coastal plain; coastal erosion; Mississippi Delta; salt intrusion; marsh plants; physiology; photosynthesis, 389

Coasts; marshes; water-level mark; spoilage; hydrology; Louisiana, 599
Community; estuaries; salinity; France coast; bacteria, 95
Competition; Japan Coast; Copepoda/Gymnoplea; inlets; seasonal cycles; spatial distribution; temperature; interspecific, 691
Continental shelf; Chesapeake Bay; side-scan sonar; bottom topography; benthic environment; boundary layers; estuaries, 765
Copepoda/Gymnoplea; inlets; seasonal cycles; spatial distribution; temperature; interspecific; competition; Japan Coast, 691
Copper; zinc; chelates; estuaries; Netherlands Coast, 785
Core samples; radionuclides; activity; Irish Sea; salt marshes; surveying; pressure transducers; water movement, 127
Crude oil; degradation; sediment parameters; bioturbation; Norway; benthic environment; marine pollution, 567
Crude oil; marine pollution; biodegradation; benthic; sediments, 205
CULLEN, S. J., YOUNG, A. M. and DAY, T. H., Dietary requirements of seaweed flies (*Coelopa frigida*), 701
Current measurements; wind data; biological data; Secchi disc; horizontal distribution; vertical profiles; density gradients; Adriatic Sea, 35
Currents; Arctic waters; tides, 513
DADIĆ, V., *see* GAČIĆ, M., 35
DAHLGAARD, H., *see* AARKROG, A., 637
DAVIES, J. M. and TIBBETTS, P. J. C., The use of *in situ* benthic chambers to study the fate of oil in sublittoral sediments, 205
DAVIS, J. A., *see* CHANG, C. C. Y., 419
DAY, T. H., *see* CULLEN, S. J., 701
Decomposition; North Sea; kelp; flies; bacteria; beach deposits; beach fauna, 701
Degradation; estuaries; salinity; urea, 433
Degradation; sediment parameters; bioturbation; Norway; benthic environment; marine pollution; crude oil, 567
DE JONGE, V. N. and VAN DAN BERGS, J., Experiments on the resuspension of estuarine sediments containing benthic diatoms, 725
DELAUNE, R. D., *see* PEZESHKI, S. R., 389
Delaware Bay; phytoplankton; nitrogen; plankton production; uptake; estuaries, 841
Density; biomass; Aegean Sea; sponges; faunal association; macrofauna; diversity index, 265
Density gradients; Adriatic Sea; current measurments; wind data; biological data; Secchi disc; horizontal distribution; vertical profiles, 35
Depth profiles; beach pollution; isopleths; pollutant dispersal; diffusion-advection models; horizontal variations; mathematical analysis; outfalls, 177
Design; statistics; models; North Sea; tides; surges, 69
Diffraction; suspended particles; particle size; estuaries; instrument design; lasers, 253
Diffusion-advection models; horizontal variations; mathematical analysis; outfalls; depth profiles; beach pollution; isopleths; pollutant dispersal, 177
Dilution; transit; time; Greenland; Canada; radioactivity; bioindicators, 637
Dissolved organic compounds; interstitial water; anaerobic conditions; Japan; ammonium ions; nitrites; nitrates, 585
Dissolved organic nitrogen; bioturbation; benthic organisms; sediments; Seto Inland Sea; liberation; ammonium, 539
Distribution; Hudson Bay; James Bay; bivalves; gastropoda; subarctic; intertidal; multivariate analysis, 47
Diversity index; density; biomass; Aegean Sea; sponges; faunal association; macrofauna, 265
DUNIEC, S., *see* AARKROG, A., 637
DUURSMA, E. K., *see* VAN DEN BERG, C. M. G., 785
DYER, K. R., *see* NEW, A. L., 15, 557
Dynamic balance; Saint Lawrence Estuary; stratification, 859
Ecology; zoogeography; Arabian Gulf; reef; fish, 425
Effluent pollution; environmental hazards; marine pollution; pollutant dispersal; statistical models, 225

Eleftheriou, A., *see* Voultsiadou-Koukoura, H. E., 265
Elosegui, A., Pozo, J. and Orive, E., Plankton pulses in a temperate coastal embayment during the winter–spring transition, 751
El-Sabh, M. I., *see* Larouche, P., 859
Ems Estuary; experiments; sediments; water; benthic organisms, 725
England coast; internal waves; mixing; estuaries; spectral analysis, 15
Environmental changes; infauna; population control; population dynamics; sediment texture; Strait of Georgia; biological interactions, 799
Environmental hazards; marine pollution; pollutant dispersal; statistical models; effluent pollution, 225
Estuaries; chlorophyll measurements; zooplankton; grazing; excretion; nitrogen compounds; *Actaria tonsa,* 305
Estuaries; continental shelf; Chesapeake Bay; side-scan sonar; bottom topography; benthic environment; boundary layers, 765
Estuaries; Delaware Bay; phytoplankton; nitrogen; plankton production; uptake, 841
Estuaries; eutrophication; nitrogen; phosphorus; river discharges; seagrasses; Western Australia, 141
Estuaries; ice; New Hampshire; chemical properties; physical properties; structure, 833
Estuaries; instrument design; lasers; diffraction; suspended particles; particle size, 253
Estuaries; internal waves; surface seiches, 557
Estuaries; intertidal environment; sand transport; suspended sediments; bedload; tidal currents; wave action; Scotland coast, 463
Estuaries; monitoring; pollution; channels; nematomorpha, 657
Estuaries; Netherlands Coast; copper; zinc; chelates, 785
Estuaries; salinity; France coast; bacteria; community, 95
Estuaries; salinity; salt-wedge, 483
Estuaries; salinity; urea; degradation, 433
Estuaries; sediment; temperature variations; heat flow; Firth of Forth; Scotland, 279
Estuaries; shelf sedimentation; Bay of Biscay; suspended matter; carbon, 377
Estuaries; spectral analysis; England coast; internal waves; mixing, 15
Estuarine circulation; tides; wind; numerical model; Narragansett Bay, 611
Estuarine sedimentation; heavy metals; Adriatic Sea; suspended matter; sediments, 349
Eutrophication; nitrogen; phosphorus; river discharges; seagrasses; Western Australia; estuaries, 141
Excretion; nitrogen compounds; *Acartia tonsa;* estuaries; chlorophyll measurements; zooplankton; grazing, 305
Experiments; sediments; water; benthic organisms; Ems Estuary, 725
Faunal association; macrofauna; diversity index; density; biomass; Aegean Sea; sponges, 265
Feeding habits; marine fauna; Indian Ocean west; predation, 241
Ficklin, W., *see* Meese, D. A., 833
Firth of Forth; Scotland; estuaries; sediment; temperature variations; heat flow, 279
Fish; ecology; zoogeography; Arabian Gulf; reef, 425
Fjords; mixing; Richardson number; fronts; Scotland coast, 363
Flatfish; macrofauna; abundance, mudflats; predation; birds, 1
Flather, R. A., Estimates of extreme conditions of tide and surge using a numerical model of the north-west European continental shelf, 69
Flies; bacteria; beach deposits; beach fauna; decomposition; North Sea; kelp, 701
Fontugne, M. R. and Jouanneau, J.-M., Modulation of the particulate organic carbon flux to the ocean by a macrotidal estuary: evidence from measurements of carbon isotopes in organic matter from the Gironde system, 377
Food webs; plankton production; Narragansett Bay; ciliata, 671
Foraminifera; reproduction; coastal climate; temperature; salinity; paleoclimatology; Arabian Sea; Indian Coast, 649
Fossils; shells; boring organisms; cannibalism; sea level changes; Red Sea, 873
France coast; bacteria; community; estuaries; salinity, 95
Friction; shallow water; Australia coast; inlets, 327
Fronts; Scotland coast; fjords; mixing; Richardson number, 363

Fujisawa, K., *see* Yamada, H., 585
Gačić, M., Dadić, V., Krstulović, N., Marasović, I., Morović, M., Pucher-Petković, T. and Sviličić, N., Near-shore transport processes induced by the wind, 35
Garwood, P. R., *see* Kendall, M. A., 499
Gastropoda; recruitment; population variations; Wales, 499
Gastropoda; subarctic; intertidal; multivariate analysis; distribution; Hudson Bay; James Bay; bivalves, 47
Gidhagen, L., Coastal upwelling in the Baltic Sea—satellite and *in situ* measurements of sea-surface temperatures indicating coastal upwelling, 449
Godin, G. and Candela, J., Tides and currents in Fury and Hecla Strait, 513
Gordon, R. B. and Spaulding, M. L., Numerical simulations of the tidal- and wind-driven circulation in Narragansett Bay, 611
Gourbault, N. E., Long-term monitoring of marine nematodes assemblages in the Morliax Estuary (France) following the *Amoco Cadiz* oil spill, 657
Gow, A. J., *see* Meese, D. A., 833
Grazing; excretion; nitrogen compounds; *Acartia tonsa*; estuaries; chlorophyll measurements; zooplankton, 305
Great Barrier Reef; nutrients; nearshore sedimentation, 289
Green, M. O., *see* Wright, L. D., 765
Greenland; Canada; radioactivity; bioindicators; dilution; transit; time, 637
Hallstadius, L., *see* Aarkrog, A., 637
Harrison, P. G., natural expansion and experimental manipulation of seagrass (*Zostera* spp.) abundance and the response of infaunal invertebrates, 799
Harrison, S. J. and Phizacklea, A. P., Temperature fluctuation in muddy intertidal sediments, Forth Estuary, Scotland, 279
Heat flow; Firth of Forth; Scotland; estuaries; sediment; temperature variation, 279
Heavy metals; Adriatic Sea; suspended matter; sediments; estuarine sedimentation, 349
Hobbs, C. H., *see* Wright, L. D., 765
Holm, E., *see* Aarkrog, A., 637
Horizontal distribution; vertical profiles; density gradients; Adriatic Sea; current measurements; wind data; biological data; Secchi disc, 35
Horizontal variations; mathematical analysis; outfalls; depth profiles; beach pollution; isopleths; pollutant dispersal; diffusion-advection models, 177
Hudson Bay; James Bay; bivalves; gastropoda; subarctic; intertidal; multivariate analysis; distribution, 47
Hydrographic; primary production; phytoplankton; Spain, 751
Hydrography; hypersaline; coastal lagoons; time series; Red Sea, 167
Hydrology; Louisiana; coasts; marshes; water-level mark; spoilage, 599
Hypersaline; coastal lagoons; time series; Red Sea; hydrography, 167
Ice; New Hampshire; chemical properties; physical properties; structure; estuaries, 833
Imberger, J., *see* Wolanski, E., 327
Indian Coast; Foraminifera; reproduction; coastal climate; temperature; salinity; paleoclimatology; Arabian Sea, 649
Indian Ocean west; predation; feeding habits; marine fauna, 241
Infauna; population control; population dynamics; sediment texture; Strait of Georgia; biological interactions; environmental changes, 799
Inlets; friction; shallow water; Australia coast, 327
Inlets; seasonal cycles; spatial distribution; temperature; interspecific; competition; Japan Coast; Copepoda/Gymnoplea, 691
Instrument design; lasers; diffraction; suspended particles; particle size; estuaries, 253
Internal waves; mixing; estuaries; spectral analysis; England coast, 15
Internal waves; surface seiches; estuaries, 557
Interspecific; competition; Japan Coast; Copepoda/Gymnoplea; inlets; seasonal cycles; spatial distribution; temperature, 691
Interstitial water; anaerobic conditions; Japan; ammonium ions; nitrites; nitrates; dissolved organic compounds, 585
Intertidal; multivariate analysis; distribution; Hudson Bay; James Bay; bivalves; gastropoda; subarctic, 47

Intertidal environment; sand transport; suspended sediments; bedload; tidal currents; wave action; Scotland coast; estuaries, 463
Intertidal environment; seasonal cycles; reproduction; production, 711
Intertidal zones; invertebrata; macrofauna; sediment instability; biological indicators, 109
Invertebrata; macrofauna; sediment instability; biological indicators; intertidal zones, 109
Irish Sea; salt marshes; surveying; pressure transducers; water movement; core samples; radionuclides; activity, 127
Irradiance; temperature; salinity; biomass; South Africa, 741
Isopleths; pollutant dispersal; diffusion-advection models; horizontal variations; mathematical analysis; outfalls; depth profiles; beach pollution, 177
James Bay; bivalves; gastropoda; subarctic; intertidal; multivariate analysis; distribution; Hudson Bay, 47
Japan; ammonium ions; nitrites; nitrates; dissolved organic compounds; interstitital water; anaerobic conditions, 585
Japan Coast; Copepoda/Gymnoplea; inlets; seasonal cycles; spatial distribution; temperature; interspecific; competition, 691
Jarvis, J. and Riley, C., Sediment transport in the mouth of the Eden Estuary, 463
Johnston, J. P., *see* Savidge, G., 433
Jouanneau, J.-M., *see* Fontugne, M. R., 377
Juračić, M., Vitturi, L. M., Rabitti, S. and Rampazzo, G., The role of suspended matter in the biogeochemical cycles in the Adige River Estuary (Northern Adriatic Sea), 349
Kay, A., The effect of cross-stream depth variations upon contaminant dispersion in vertically well-mixed current, 177
Kayama, M., *see* Yamada, H., 539, 585
Kelp; flies; bacteria; beach deposits; beach fauna; decomposition: North Sea, 701
Kendall, M. A., Williamson, P. and Garwood, P. R., Annual variation in recruitment and population structure of *Monodonta lineata* and *Gibbula umbilicalis* populations at Aberaeron, mid-Wales, 499
Koukouras, A., *see* Voultsiadou-Koukoura, H. E., 265
Koutitonsky, V. G., *see* Larouche, P., 859
Kršinić, F., On the ecology of tintinnines in the Bay of Mali Ston (Eastern Adriatic), 401
Kršinić, F., Tintinnines (*Ciliophora, Oligotrichida, Tintinnia*) in Eastern Adriatic bays, 527
Krustolović, N., *see* Gačić, M., 35
Kuwabara, J. S., *see* Chang, C. C. Y., 419
Larouche, P., Koutitonsky, V. G., Chanut, J.-P. and El-Sabh, M.I., Lateral stratification and dynamic balance at the Matane transect in the lower Saint Lawrence Estuary, 859
Lasers; diffraction; suspended particles; particle size; estuaries; instrument design, 253
Lennon, G. W., *see* Samarasinghe, J. R. De S., 483
Lewis, R. E., *see* New, A. L., 15
Liberation; ammonium; dissolved organic nitrogen; bioturbation; benthic organisms; sediments; Seto Inland Sea, 539
Lichtenthaler, R. G., *see* Berge, J. A., 567
Light intensity; models; photosynthesis, 813
Litaker, W., *see* Stearns, D. E., 305
Loder, T. C., *see* Meese, D. A., 833
Louisiana; coasts; marshes; water-level mark; spoilage; hydrology, 599
Lukatelich, R. J., Schofield, N. J. and McComb, A. J., Nutrient loading and macrophyte growth in Wilson Inlet, a bar-built southwestern Australian estuary, 141
McComb, A. J., *see* Lukatelich, R. J., 141
Macrofauna; abundance; mudflats; predation; birds; flatfish, 1
Macrofauna; diversity index; density; biomass; Aegean Sea; sponges; faunal association, 265
Macrofauna; sediment instability; biological indicators; intertidal zones; invertebrates, 109
Marasović, I., *see* Gačić, M., 35
Marine fauna; Indian Ocean west; predation feeding habits, 241
Marine pollution; biodegradation; benthic; sediments; crude oil, 205
Marine pollution; crude oil; degradation; sediment parameters; bioturbation; Norway; benthic environment, 567

Marine pollution; pollutant dispersal; statistical models; effluent pollution; environmental hazards, 225
Marsh plants; physiology; photosynthesis; coastal plain; coastal erosion; Mississippi Delta; salt intrusion, 389
Marshes; water-level mark; spoilage; hydrology; Louisiana; coasts, 599
MARTINI, I. P. and MORRISON, R. I. G., Regional distribution of *Macoma balthica* and *Hydrobia minuta* on the subarctic coasts of Hudson Bay and James Bay, Ontario, Canada, 47
Mathematical analysis; outfalls; depth profiles; beach pollution; isopleths; pollutant dispersal; diffusion-advection models; horizontal variations, 177
MAYEWSKI, P. A., *see* MEESE, D. A., 833
MEESE, D. A., GOW, A. J., MAYEWSKI, P. A. FICKLIN, W. and LODER, T. C., The chemical, physical and structural properties of estuarine ice in Great Bay, New Hampshire, 833
MERKS, A. G. A., *see* VAN DEN BERG, C. M. G., 785
MESHAL, A. H., Hydrography of a hypersaline coastal lagoon in the Red Sea, 167
MELVEL, G., *see* PRIEUR, D., 95
MILNE, H., *see* RAFFAELLI, D., 1
Mississippi Delta; salt intrusion; marsh plants; physiology; photosynthesis; coastal plain; coastal erosion, 389
Mixing; estuaries; spectral analysis; England coast; internal waves, 15
Mixing; Richardson number; fronts; Scotland coast; fjords, 363
Models; North Sea; tides; surges; design; statistics, 69
Models; photosynthesis; light intensity, 813
Monitoring; pollution; channels; nematomorpha; estuaries, 657
MOORE, J. J., *see* Allen, P. L., 109
MOROVIĆ, M., *see* GAČIĆ, M., 35
MORRIS, A. W., *see* BALE, A. J., 253
MORRISON, R. I. G., *see* MARTINI, I. P., 47
Mudflats; predation; birds; flatfish; macrofauna; abundance, 1
Multivariate analysis; distribution; Hudson Bay; James Bay; bivalves; gastropoda; subarctic; intertidal, 47
Narragansett Bay; ciliata; food webs; plankton production, 671
Narragansett Bay; estuarine circulation; tides; wind; numerical model, 611
Nearshore sedimentation; Great Barrier Reef; nutrients, 289
Nematomorpha; estuaries; monitoring; pollution; channels, 657
Netherlands Coast; copper; zinc; chelates; estuaries, 785
NEW, A. L. and DYER, K. R., On the generation of lateral internal waves by surface seiche in a partially mixed estuary, 557
NEW, A. L., DYER, K. R. and LEWIS, R. E., Internal waves and intense mixing periods in a partially stratified estuary, 15
New Hampshire; chemical properties; physical properties; structure; estuaries; ice, 833
NIGAM, R. and RAO, A. S., Proloculus size variation in recent benthic foraminifera: implications for paleoclimatic studies, 649
Nitrates; dissolved organic compounds; interstitial water; anaerobic conditions; Japan; ammonium ions; nitrites, 585
Nitrites; nitrates; dissolved organic compounds; interstitial water; anaerobic conditions; ammonium ions, 585
Nitrogen; carbonate sediments; saline basins; benthic flora; Western Australia coast; phosphorus; carbon, 335
Nitrogen; phosphorus; river discharges; seagrasses; Western Australia; estuaries; eutrophication, 141
Nitrogen; plankton production; uptake; estuaries; Delaware Bay; phytoplankton, 841
Nitrogen compounds; *Acartia tonsa*; estuaries; chlorophyll measurements; zooplankton; grazing; excretion, 305
North Sea; kelp; flies; bacteria; beach deposits; beach fauna; decomposition, 701
North Sea; tides; surges; design; statistics; models, 69
Norway; benthic environment; marine pollution; crude oil; degradation; sediment parameters; bioturbation, 567

Numerical model; Narragansett Bay; estuarine circulation; tides; wind, 611
Nutrients; nearshore sedimentation; Great Barrier Reef, 289
Nutrition; species composition; zooplankton; Adriatic Sea; oysters, 401
Orelo, F., *see* Berge, J. A., 567
Orive, E., *see* Elosegui, A., 751
Outfalls; depth profiles; beach pollution; isopleths; pollutant dispersal; diffusion-advection models; horizontal variations; mathematical analysis, 177
Oysters; nutrition; species composition; zooplankton; Adriatic Sea, 401
Paleoclimatology; Arabian Sea; Indian Coast; Foraminifera; reproduction; coastal climate; temperature; salinity, 649
Particle size; estuaries; instrument design; lasers; diffraction; suspended particles, 253
Patrick, W. H., Jr, *see* Pezeshki, S. R., 389
Pennock, J. R., Temporal and spatial variability in phytoplankton ammonium and nitrate uptake in the Delaware Estuary, 841
Perry, M. J., *see* Peterson, D. H., 813
Peterson, D. H., Perry, M. J., Bencala, K. E. and Talbot, M. C., Phytoplankton productivity in relation to light intensity: a simple equation, 813
Pezeshki, S. R., Delaune, R. D. and Patrick, W. H., Jr, Response of *Spartina patens* to increasing levels of salinity in rapidly subsiding marshes of the Mississippi River deltaic plain, 389
Phizacklea, A. P., *see* Harrison, S. J., 279
Phosphorus; carbon; nitrogen; carbonate sediments; saline basins; benthic flora; Western Australia coast, 335
Phosphorus; river discharges; seagrasses; Western Australia; estuaries; eutrophication; nitrogen, 141
Photosynthesis; coastal plain; coastal erosion; Mississippi Delta; salt intrusion; marsh plants; physiology, 389
Photosynthesis; light intensity; models, 813
Physical properties; structure; estuaries; ice; New Hampshire; chemical properties, 833
Physiology; photosynthesis; coastal plain; coastal erosion; Mississippi Delta; salt intrusion; marsh plants, 389
Phytoplankton; irradiance; temperature; salinity; biomass; South Africa, 741
Phytoplankton; nitrogen; plankton production; uptake; estuaries; Delaware Bay, 841
Phytoplankton; Spain; hydrographic; primary production, 751
Plankton production; Narragansett Bay; ciliata; food webs, 671
Plankton production; uptake; estuaries; Delaware Bay; phytoplankton; nitrogen, 841
Pollutant dispersal; diffusion-advection models; horizontal variations; mathematical analysis; outfalls; depth profiles; beach pollution; isopleths, 177
Pollutant dispersal; statistical models; effluent pollution; environmental hazards; marine pollution, 225
Pollution; channels; Nematomorpha; estuaries; monitoring, 657
Population control; population dynamics; sediment texture; Strait of Georgia; biological interactions; environmental changes; infauna, 799
Population dynamics; sediment texture; Strait of Georgia; biological interactions; environmental changes; infauna; population control, 799
Population variations; Wales; gastropoda; recruitment, 499
Pozo, J., *see* Elosegui, A., 751
Predation; birds; flatfish; macrofauna; abundance; mudflats, 1
Predation; feeding habits; marine fauna; Indian Ocean west, 241
Pressure transducers; water movement; core samples; radionuclides; activity; Irish Sea; salt marshes; surveying, 127
Prieur, D., Troussellier, M., Romana, A., Chamroux, S., Mevel, G. and Baleux, B., Evolution of bacterial communities in the Gironde Estuary (France) according to a salinity gradient, 95
Primary production; phytoplankton; Spain; hydrographic, 751
Prior, D. B., *see* Wright, L. D., 765
Production; intertidal environment; seasonal cycles; reproduction, 711
Pucher-Petković, T., see Gačić, M., 35
Rabitti, S., *see* Juračić, M., 349

Radioactivity; bioindicators; dilution; transit; time; Greenland; Canada, 637
Radionuclides; activity; Irish Sea; salt marshes; surveying; pressure transducers; water movement; core samples, 127
RAFFAELLI, D. and MILNE, H., An experimental investigation of the affects of shorebird and flatfish predation on estuarine invertebrates, 1
RAMPAZZO, G., *see* JURAČIĆ, M., 349
RAO, A. S., *see* NIGAM, R., 649
Recruitment; population variations; Wales; gastropoda, 499
Red Sea; fossils; shells; boring organisms; cannibalism; sea level changes, 873
Red Sea; hydrography; hypersaline; coastal lagoons; time series, 167
Reef; fish; ecology; zoogeography; Arabian Gulf, 425
Reproduction; coastal climate; temperature; salinity; paleoclimatology; Arabian Sea; Indian Coast; Foraminifera, 649
Reproduction; production; intertidal environment; seasonal cycles, 711
Richardson number; fronts; Scotland coast; fjords; mixing, 363
RILEY, C., *see* JARVIS, J., 463
River discharges; seagrasses; Western Australia; estuaries; eutrophication; nitrogen; phosphorus, 141
ROMANA, A., *see* PRIEUR, D., 95
ROSENBERG, G., *see* STEARNS, D. E., 305
Saint Lawrence Estuary; stratification; dynamic balance, 859
SALEH, M. A., *see* SMITH, G. B., 425
Saline basins; benthic flora; Western Australia coast; phosphorus; carbon; nitrogen; carbonate sediments, 335
Salinity; biomass; South Africa; irradiance; temperature, 741
Salinity; France coast; bacteria; community; estuaries, 95
Salinity; paleoclimatology; Arabian Sea; Indian Coast; Foraminifera; reproduction; coastal climate; temperature, 649
Salinity; salt-wedge; estuaries, 483
Salinity; urea; degradation; estuaries, 433
Salt intrusion; marsh plants; physiology; photosynthesis; coastal plain; coastal erosion; Mississippi Delta, 389
Salt marshes; surveying; pressure transducers; water movement; core samples; radionuclides; activity; Irish Sea, 127
Salt-wedge; estuaries; salinity, 483
SAMARASINGHE, J. R. DE S. and LENNON, G. W., Hypersalinity, flushing and transient salt-wedges in a tidal gulf—an inverse estuary, 483
Sand transport; suspended sediments; bedload; tidal currents; wave action; Scotland coast; estuaries; intertidal environment, 463
SANDSTROM, M. W., *see* ULLMAN, W. J., 289
Satellite data; Baltic Sea; upwelling; sea-surface temperature, 449
SAVIDGE, G. and JOHNSTON, J. P., Urea degradation rates by size-fractionated plankton populations in a temperate estuary, 433
SCHAFFNER, L. C., *see* WRIGHT, L. D., 765
SCHOFIELD, J. J., *see* LUKATELICH, R. J., 141
Scotland; estuaries; sediment; temperature variations; heat flow; Firth of Forth, 279
Scotland coast; estuaries; intertidal environment; sand transport; suspended sediments; bedload; tidal currents; wave action, 463
Scotland coast; fjords; mixing; Richardson number; fronts, 363
Sea level changes; Red Sea; fossils; shells; boring organisms; cannibalism, 873
Seagrasses; Western Australia; estuaries; eutrophication; nitrogen; phosphorus; river discharges, 141
Seaonal cycles; reproduction; production; intertidal environment, 711
Seasonal cycles; spatial distribution; temperature; interspecific; competition; Japan Coast; Copepoda/Gymnoplea; inlets, 691
Sea-surface temperature; satellite data; Baltic Sea; upwelling, 449
Secchi disc; horizontal distribution; vertical profiles; density gradients; Adriatic Sea; current measurements; wind data; biological data, 35

Sediment; temperature variations; heat flow; Firth of Forth; Scotland; estuaries, 279
Sediment instability; biological indicators; intertidal zones; invertebrata; macrofauna, 109
Sediment parameters; bioturbation; Norway; benthic environment; marine pollution; crude oil; degradation, 567
Sediment texture; Strait of Georgia; biological interactions; environmental changes; infauna; population control; population dynamics, 799
Sediments; crude oil; marine pollution; biodegradation; benthic, 205
Sediments; estuarine sedimentation; heavy metals; Adriatic Sea; suspended matter, 349
Sediments; Seto Inland Sea; liberation; ammonium; dissolved organic nitrogen; bioturbation; benthic organisms, 539
Sediments; water; benthic organisms; Ems Estuary; experiments, 725
Seto Inland Sea; liberation; ammonium; dissolved organic nitrogen; bioturbation; benthic organisms; sediments, 539
Shallow water; Australia coast; inlets; friction, 327
Shelf sedimentation; Bay of Biscay; suspended matter; carbon; estuaries, 377
Shells; boring organisms; cannibalism; sea level changes; Red Sea; fossils, 873
Side-scan sonar; bottom topography; benthic environment; boundary layers; estuaries; continental shelf; Chesapeake Bay, 765
SMALE, M. J., Food partitioning by coastal predatory teleosts in south-eastern Cape waters of South Africa, 241
SMITH, G. B. and SALEH, M. A., Abundance and bathymetric distribution of Bahrain (Arabian Gulf) reef ichthyofaunas, 425
SMITH, J. N., *see* AARKROG, A., 637
Solute; transport; zinc; absorption; suspended particles, 419
South Africa; irradiance; temperature; salinity; biomass, 741
Spain; hydrographic; primary production; phytoplankton, 751
SPANIER, E., A fossil record of shell boring; possible evidence for sea level changes in the Red Sea, 873
Spatial distribution; temperature; interspecific; competition; Japan Coast; Copepoda/Gymnoplea; inlets; seasonal cycles, 691
SPAULDING, M. L., *see* GORDON, R. B., 611
Species composition; Adriatic Sea; zooplankton, 527
Species composition; zooplankton; Adriatic Sea; oysters; nutrition, 401
Spectral analysis; England coast; internal waves; mixing; estuaries, 15
Spoilage; hydrology; Louisiana; coasts; marshes; water-level mark, 599
Sponges; faunal association; macrofauna; diversity index; density; biomass; Aegean Sea, 265
Statistical models; effluent pollution; environmental hazards; marine pollution; pollutant dispersal, 225
Statistics; models; North Sea; tides; surges; design, 69
STEARNS, D. E., LITAKER, W. and ROSENBERG, G., Impacts of zooplankton grazing and excretion on short-interval fluctuations in chlorophyll *a* and nitrogen concentrations in a well-mixed estuary, 305
Strait of Georgia; biological interactions; environmental changes; infauna; population control; population dynamics; sediment texture, 799
Stratification; dynamic balance; Saint Lawrence Estuary, 859
Structure; estuaries; ice; New Hampshire; chemical properties; physical properties, 833
Subarctic; intertidal; multivariate analysis; distribution; Hudson Bay; James Bay; bivalves; gastropoda, 47
Surface seiches; estuaries; internal waves, 557
Surges; design; statistics; models; North Sea; tides, 69
Surveying; pressure transducers; water movement; core samples; radionuclides; activity; Irish Sea; salt marshes, 127
Suspended matter; carbon; estuaries; shelf sedimentation; Bay of Biscay, 377
Suspended matter; sediments; estuarine sedimentation; heavy metals; Adriatic Sea, 349
Suspended particles; particle size; estuaries; instrument design; lasers; diffraction, 253
Suspended particles; solute; transport; zinc; absorption, 419
Suspended sediments; bedload; tidal currents; wave action; Scotland coast; estuaries; intertidal environment; sand transport, 463

Sviličić, N., *see* Gačić, M., 35
Senson, E. M. and Turner, R. E., Spoil banks: effects on a coastal marsh water-level regime, 599
Talbot, M. C., *see* Peterson, D. H., 813
Temperature; interspecific; competition; Japan Coast; Copepoda/Gymnoplea; inlets; seasonal cycles; spatial distribution, 691
Temperature; salinity; biomass; South Africa; irradiance, 741
Temperature; salinity; paleoclimatology; Arabian Sea; Indian Coast; Foraminifera; reproduction; coastal climate, 649
Temperature variations; heat flow; Firth of Forth; Scotland; estuaries; sediment, 279
Tibbetts, P. J. C., *see* Davies, J. M., 205
Tidal currents; wave action; Scotland coast; estuaries; intertidal environment; sand transport; suspended sediments; bedload, 463
Tides; currents; Arctic waters, 513
Tides; surges; design; statistics; models; North Sea, 69
Tides; wind; numerical model; Narragansett Bay; estuarine circulation, 611
Time; Greenland; Canada; radioactivity; bioindicators; dilution; transit, 637
Time series; Red Sea; hydrography; hypersaline; coastal lagoons, 167
Transit; time; Greenland; Canada; radioactivity; bioindicators; dilution, 637
Transport; zinc; adsorption; suspended particles; solute, 419
Troussellier, M., *see* Prieur, D., 95
Turner, R. E., *see* Swenson, E. M., 599
Ueda, H., Temporal and spatial distribution of the two closely related *Acartia* species *A. omorii* and *A. hudsonica* (Copepoda, Calanoida) in a small inlet water of Japan, 691
Ullman, W. J., and Sandstrom, M. W., Dissolved nutrient fluxes from the nearshore sediments of Bowling Green Bay, Central Great Barrier Reef Lagoon (Australia), 289
Uptake; estuaries; Delaware Bay; phytoplankton; nitrogen; plankton production, 841
Upwelling; sea-surface temperature; satellite data; Baltic Sea, 449
Urea; degradation; estuaries; salinity, 433
Van Den Berg, C. M. G., Merks, A. G. A. and Duursma, E. K., Organic complexion and its control of the dissolved concentrations of copper and zinc in the Schedlt Estuary, 785
Van Den Bergs, J., *see* De Jonge, V. N., 725
Verity, P. G., Abundance, community composition, size distribution, and production rates of tintinnids in Narragansett Bay, Rhode Island, 671
Vertical profiles; density gradients; Adriatic Sea; current measurements; wind data; biological data; Secchi disc; horizontal distribution, 35
Vitturi, L. M., *see* Juračić, M., 349
Voultsiadou-Koukoura, H. E., Koukouras, A. and Eleftheriou, A., Macrofauna associated with the sponge *Verongia aerophoba* in the North Aegean Sea, 265
Wales; gastropoda; recruitment; population variations, 499
Water; benthic organisms; Ems Estuary; experiments; sediments, 725
Water movement; core samples; radionuclides; activity; Irish Sea; salt marshes; surveying pressure transducers, 127
Water-level mark; spoilage; hydrology; Louisiana; coasts; marshes, 599
Wave action; Scotland coast; estuaries; intertidal environment; sand transport; suspended sediments; bedload; tidal currents, 463
Western Australia; estuaries; eutrophication; nitrogen; phosphorus; river discharges; seagrasses, 141
Western Australia coast; phosphorus; carbon; nitrogen; carbonate sediments; saline basins; benthic flora, 335
Williamson, P., *see* Kendall, M. A., 499
Wind; numerical model; Narragansett Bay; estuarine circulation; tides, 611
Wind data; biological data; Secchi disc; horizontal distribution; vertical profiles; density gradients; Adriatic Sea; current measurements, 35
Wolanski, E. and Imberger, J., Friction-controlled selective withdrawal near inlets, 327
Wright, L. D., Prior, D. B., Hobbs, C. H., Bryne, R. J., Boon, J. D., Schaffner, L. C. and Green, M. O., Spatial variability of bottom types in the lower Chesapeake Bay and adjoining estuaries and inner shelf, 765

YAMADA, H. and KAYAMA, M., Liberation of nitrogenous compounds from bottom sediments and effect of bioturbation by small bivalve, *Theora lata* (Hinds), 539
YAMADA, H., KAYAMA, M. and FUJISAWA, K., Seasonal changes of concentrations of inorganic and organic nitrogen in coastal marine sediments, 585
YOUNG, A. M., *see* CULLEN, S. J., 701
Zinc; adsorption; suspended particles; solute; transport, 419
Zinc; chelates; estuaries; Netherlands Coast; copper, 785
Zoogeography; Arabian Gulf; reef; fish; ecology, 425
Zooplankton; Adriatic Sea; oysters; nutrition; species composition, 401
Zooplankton; grazing; excretion; nitrogen compounds; *Acartia tonsa;* estuaries; chlorophyll measurements, 305
Zooplankton; species composition; Adriatic Sea, 527